

DECORATIVE INTERIOR DOORS





DOORS | MOULDINGS | STAIR PARTS BOARDS | EXTERIOR MILLWORK

LAKELAND DISTRIBUTION CENTER



- The top and bottom of every slab door is factory-sealed with two coats of UV Activated polyacrylic varnish.
- Stiles are manufactured with Engineered & LVL technology to eliminate warp and feature solid wood 5/8" Edge Bands for trimming & sizing.
- Contoured panels provide a snug fit, preventing them from moving, yet accommodating expansion due to changes in humidity and eliminating panel shifting after finishing.
- Louvers are up to 50% thicker for increased strength and no warping.
- FSC Certified Forest and Factory

The best quality and value in an interior pine door...only from Frameport

TABLE OF CONTENTS

Shaker Style Flat Panel Doors

Product Description • Page 5 Ordering Information • Pages 6-7



French Doors

Product Description • Page 9 Ordering Information • Pages 10-11



Louvered Doors


Product Description • Page 13 Ordering Information • Pages 14-15



Fire Doors

Product Description • Page 17 Ordering Information • Pages 18-19





NOVO Building Products is proud to offer a brand new efficient self-service online portal.



Full access to stocked product pricing



Easily place orders on any desktop or mobile device




Receive order status update




Follow the steps below to sign up today!

- 1. Locate your Customer Code from the "Ship To" line on your order acknowledgment.
- 2. Navigate to NOVOBP.com. Go to SIGN IN. Select "Create An Account".
- 3. Fill in all fields marked with "Required" and select "Create Account".
- 4. Allow 1 business day for account verification, and then explore the new online portal!








rattling.

Shaker Door Features



- a broad range of panel configurations
- 1-3/8" interior wood door
- Environmentally friendly, FSC Certified
- 5-year limited warranty
- All doors are full and square and are shipped with polyolefin wrap





Shaker Profile



1 Panel



	Р	rim	ed			
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0

2 Panel



Primed							
	k 1-3/8						
8/0	k 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0

	Quantity	1 Panel	2 Panel
Size	Per	Primed	Primed
	Pallet	ltem #	ltem #
1/6 x 6/8 x 1-3/8	16	3137201	3137368
2/0 x 6/8 x 1-3/8	32	3137236	3137392
2/4 x 6/8 x 1-3/8	32	3137252	3137414
2/6 x 6/8 x 1-3/8	32	3137260	3137422
2/8 x 6/8 x 1-3/8	32	3137279	3137430
3/0 x 6/8 x 1-3/8	32	3137295	3137457
1/6 x 8/0 x 1-3/8	16	3137848	3138003
2/0 x 8/0 x 1-3/8	32	3137872	3138038
2/4 x 8/0 x 1-3/8	32	3137899	3138054
2/6 x 8/0 x 1-3/8	32	3137902	3138062
2/8 x 8/0 x 1-3/8	32	3137910	3138070
3/0 x 8/0 x 1-3/8	32	3137937	3138097

Craftsman



Primed							
6/8 x 1-3/8							
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	

3 Panel



	Ρ	rim	ed			
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0

5 Panel



Primed							
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	
8/0* x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	

*The eight foot door comes as a six panel configuration

Size	Quantity Per Pallet	Craftsman Primed Item #	3 Panel Primed Item #	5 & 6 Panel Primed Item #
1/6 x 6/8 x 1-3/8	16	3138488	3137520	3137686
2/0 x 6/8 x 1-3/8	32	3138518	3137554	3137716
2/4 x 6/8 x 1-3/8	32	3138534	3137570	3137732
2/6 x 6/8 x 1-3/8	32	3138542	3137589	3137740
2/8 x 6/8 x 1-3/8	32	3138550	3137597	3137759
3/0 x 6/8 x 1-3/8	32	3138577	3137619	3137775
1/6 x 8/0 x 1-3/8	16	3138640	3138160	3047253*
2/0 x 8/0 x 1-3/8	32	3138674	3138194	3047288*
2/4 x 8/0 x 1-3/8	32	3138690	3138216	3047300*
2/6 x 8/0 x 1-3/8	32	3138704	3138224	3047318*
2/8 x 8/0 x 1-3/8	32	3138712	3138232	3047326*
3/0 x 8/0 x 1-3/8	32	3138739	3138259	3047350*

*The eight foot door comes as a six panel configuration



Top & bottom of door is factory-sealed for reliable performance

Pre-masked film for easy clean up after finishing

True divided lite with tempered glass for safety


Superior priming – four coats with sanding between coats

Features:


- 1-3/8" interior wood door
- True divided lites
- Suitable for painting
- Environmentally friendly, FSC Certified
- 5-year limited warranty
- All doors are full and square and are shipped with polyolefin wrap

French Door Features











Full Lite | Ovolo





3 Lite 5 Lite







Clear Glass
French Ovolo / Primed
6/8 x 1-3/8 | 2/0 | 2/4 | 2/6 | 2/8 | 3/0
8/0 x 1-3/8 | 2/0 | 2/4 | 2/6 | 2/8 | 3/0

Frosted Glass						
French Ovolo / Primed						
6/8 x 1-3/8	2/0	2/4	2/6	2/8	3/0	

Frosted Glass						
French Shaker / Primed						
6/8 x 1-3/8 2/0 2/4 2/6 2/8 3/0						

Frosted Glass						
French Shaker / Primed						
6/8 x 1-3/8 2/0 2/4 2/6 2/8 3/0						

Size	Quantity Per Pallet	1 Lite Clear Glass Primed Item #	1 Lite Frosted Glass Primed Item #	3 Lite Frosted Glass Primed Item #	5 Lite Frosted Glass Primed Item #
2/0 x 6/8 x 1-3/8	32	3243966	3138798	3138925	3139050
2/4 x 6/8 x 1-3/8	32	3243982	3138810	3138941	3139077
2/6 x 6/8 x 1-3/8	32	3243990	3138828	3138950	3139085
2/8 x 6/8 x 1-3/8	32	3244008	3138836	3138968	3139093
3/0 x 6/8 x 1-3/8	32	3244024	3138852	3138984	3139115
2/0 x 8/0 x 1-3/8	32	3342620	-	-	-
2/4 x 8/0 x 1-3/8	32	3342646	-	-	-
2/6 x 8/0 x 1-3/8	32	3342654	-	-	-
2/8 x 8/0 x 1-3/8	32	3342662	-	-	-
3/0 x 8/0 x 1-3/8	32	3342689	-	-	-

All lites are film protected

True Divided Lites | Ovolo

10 Lite 12 Lite 15 Lite 18 Lite









Clear Glass						
French Ovolo / Primed						
6/8 x 1-3/8						

Clear Glass					
French Ovolo / Primed					
8/0 x 1-3/8	2/0	2/4	2/6	2/8	3/0

Clear Glass				
French Ovolo / Primed				
6/8 x 1-3/8	2/6	2/8	3/0	

Clear Glass					
French Ovolo / Primed					
8/0x 1-3/8	2/6	2/8	3/0		

Size	Quantity Per Pallet	10 Lite Frosted Glass Primed Item #	12Lite Frosted Glass Primed Item #	15 Lite Frosted Glass Primed Item #	18 Lite Frosted Glass Primed Item #
2/0 x 6/8 x 1-3/8	32	3232905	=	-	-
2/4 x 6/8 x 1-3/8	32	3232921	-	-	-
2/6 x 6/8 x 1-3/8	32	-	-	3233073	-
2/8 x 6/8 x 1-3/8	32	-	-	3233081	-
3/0 x 6/8 x 1-3/8	32	-	-	3233103	-
2/0 x 8/0 x 1-3/8	32	-	3232999	-	-
2/4 x 8/0 x 1-3/8	32	-	3233014	-	-
2/6 x 8/0 x 1-3/8	32	-	3233022	-	3233120
2/8 x 8/0 x 1-3/8	32	-	3233030	-	3233154
3/0 x 8/0 x 1-3/8	32	-	3233057	-	3233170

All lites are film protected

Louvered Doors



Louvered Doors

LVL stiles eliminate warp

Superior priming – four coats with sanding between coats

Knob, track and hardware included

Bifold Louvered Door Features

Features:

- Pre-hinged, ready to install
- Suitable for painting
- Track and hardware included
- Easy to install
- Environmentally friendly, FSC Certified

LVL stiles

• 5-year limited warranty





Bifold Louvered Doors

Louver/Louver



Classic Louver/Louver						
Primed						
6/8 2/0 2/6 3/0						
8/0	2/0	2/6	3/0			

Louver/Louver



Plantation Louver/Louver							
Primed							
6/8	2/0	2/6	3/0				
8/0	8/0 2/0 2/6 3/0						

Size	Quantity Per Pallet	Classic Louver / Louver Primed Item #	Plantation Louver / Louver Primed Item #
2/0 x 6/8 x 1-1/8	44	3047415	3047679
2/6 x 6/8 x 1-1/8	44	3047440	3047709
3/0 x 6/8 x 1-1/8	44	3047474	3047733
2/0 x 8/0 x 1-1/8	44	3047547	3047806
2/6 x 8/0 x 1-1/8	44	3047571	3047830
3/0 x 8/0 x 1-1/8	44	3047601	3047865

Stile & Rail Louvered Doors



Stile & Rail Louvered Door Features

- 1-3/8" interior wood door
- Superior priming four coats with sanding between coats
- Environmentally friendly, FSC Certified
- 5-year limited warranty
- All doors are full and square and are shipped with polyolefin wrap



Stile and Rail Classic Louver/Louver Door									
Primed									
6/8	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
8/0	8/0 2/0 2/4 2/6 2/8 2/10 3/0								

Size		Quantity Per Pallet	Stile & Rail Classic Louver / Louver Primed Item #
1/4 x 6/8 x	1-3/8	16	3048039
1/6 x 6/8 x	1-3/8	16	3048047
1/8 x 6/8 x	1-3/8	16	3048055
2/0 x 6/8 x	1-3/8	32	3048071
2/4 x 6/8 x	1-3/8	32	3048080
2/6 x 6/8 x	1-3/8	64	3048098
2/8 x 6/8 x	1-3/8	64	3048101
2/10 x 6/8 x	1-3/8	64	3048110
3/0 x 6/8 x	1-3/8	32	3048128
2/0 x 8/0 x	1-3/8	32	3048187
$2/4 \times 8/0 \times$	1-3/8	32	3048209
2/6 x 8/0 x	1-3/8	32	3048217
2/8 x 8/0 x	1-3/8	32	3048225
2/10 x 8/0 x	1-3/8	32	3048233
3/0 x 8/0 x	1-3/8	32	3048241

Stile and Rail Plantation Louver/Louver Door						
Primed						
6/8	2/0	2/4	2/6	2/8	3/0	
8/0 2/0 2/4 2/6 2/8 3/0						


2/0 x 6/8 x 1-3/8 32 3229190
2/4 x 6/8 x 1-3/8 32 3229211
2/6 x 6/8 x 1-3/8 32 3229220
2/8 x 6/8 x 1-3/8 32 3229238
3/0 x 6/8 x 1-3/8 32 3229254
2/0 x 8/0 x 1-3/8 32 3308154
2/4 x 8/0 x 1-3/8 16 3308170
2/6 x 8/0 x 1-3/8 16 3308189
2/8 x 8/0 x 1-3/8 32 3308197
3/0 x 8/0 x 1-3/8 32 3308219

Fire Doors | 20 Minute



Features:

- Frameport 20 Minute Fire Door Slabs are certified through Intertek's Building Products Certification Program as compliant with UL 10C Standard for Positive Pressure Fire Tests of Door Assemblies
- Flat Panel Doors are listed with Intertek WH under Specification # 51014 – 20 Minute without Hose Stream (US only)
- All Frameport Fire Doors are constructed with fire-resistant gypsum panels & intumescent ribbon to seal joints when exposed to open flame



- 1-3/4" thickness
- Fire doors feature shaker-style flat panels to match standard interior shaker doors, allowing consistency of design throughout the home (component dimensions may vary, see specification drawings for details)
- Per NFPA 80 Standard for Fire Doors and Other Opening Protectives, maximum trimming allowed from the bottom of the doors is ¾"
- Frameport Fire Door Slabs can be added to existing Fire Door System certifications – consult your certifying body for instructions
- Environmentally friendly, FSC certified
- All doors are TSCA compliant
- 5-year limited warranty


Fire Door Features



Intertek

Intertek's Warnock Hersey (WH) Mark is North America's leading product safety and performance mark for fire doors.





Fire Doors

1 Panel



Flat Panel				
Primed				
6/8 x 1-3/4	2/8	3/0		
8/0 x 1-3/4	2/8	3/0		

2 Panel



Flat Panel		
Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

Craftsman



Flat Panel			
Primed			
6/8 x 1-3/4	2/8	3/0	
8/0 x 1-3/4 2/8 3/0			

	Quantity	1 Panel	2 Panel	Craftsman
Size	Per	Primed	Primed	Primed
	Pallet	ltem #	ltem #	ltem #
2/8 x 6/8 x 1-3/4	12	3141497	3141594	3141691
3/0 x 6/8 x 1-3/4	12	3141519	3141616	3141713
2/8 x 8/0 x 1-3/4	12	3141993	3142094	3142191
3/0 x 8/0 x 1-3/4	12	3142019	3142116	3142213

Fire Doors

3 Panel



Flat Panel		
Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

5 Panel



Flat Panel			
Primed			
6/8 x 1-3/4	2/8	3/0	
8/0 x 1-3/4	2/8	3/0	

	Quantity	3 Panel	5 & 6 Panel
Size	Per	Primed	Primed
	Pallet	ltem #	ltem #
2/8 x 6/8 x 1-3/4	12	3141799	3141896
3/0 x 6/8 x 1-3/4	12	3141810	3141918
2/8 x 8/0 x 1-3/4	12	3142299	3141934*
3/0 x 8/0 x 1-3/4	12	3142310	3141950*

*The eight foot door comes as a six panel configuration




*The eight foot door comes as a six panel configuration





NOVOBP.COM

Explore our comprehensive collections of doors, mouldings, stair parts, boards, and exterior millwork as well as finding inspiration for every room in the home.



Lakeland Distribution Center

Suite 120 | 7270 Bridgewater Center Drive Lakeland, FL 33805

P: 800.253.9000 | F: 863.683.3415

© 2023 NOVOPB, Lakeland (12/23) NOVO reserves the right to make changes to the products listed in this catalog without notice and without responsibility for existing units. Images may not be to exact scale.

For more information scan to visit NOVOBP.COM

